

**Instruction no. 25**

No. C.8/3/2009-SEZ  
Government of India  
Ministry of Commerce and Industry  
Department of Commerce  
(SEZ Section)

Udyog Bhawan, New Delhi  
Dated the 16<sup>th</sup> July, 2009

To  
All the Development Commissioners

**Subject:** Guidelines regarding “**putting up of a boundary wall**” - Reg.

Dear Sir/Madam,

The undersigned is directed to enclose herewith guidelines regarding putting up of boundary wall as per the decision taken in the 33<sup>rd</sup> meeting of the Board of Approvals held on 02.06.2009 for information and necessary action.

Yours faithfully

(T. Srinidhi)  
Director  
Tel: 2306 3265  
E-mail: [t.srinidhi@nic.in](mailto:t.srinidhi@nic.in)

**Copy to:**

1. DG, EPCES
2. Shri K. Jose Cyriac, Additional Secretary, Dept. Of Revenue, New Delhi
3. AS (DKM)/ JS(AM)

**(Annexure to Instruction No. 25)**

**NORMS FOR BOUNDARY WALLS**

In this context, the Board decided to prescribe the following norms for boundary walls:-

- A. In respect of IT/ITES SEZs, the height of the wall will be decided by the DC
- B. In respect of other SEZs, the wall could either be 2.4 meters in height or 1.8 meters in height plus 0.6 meters of barbed wire fencing.
- C. For any deviations, the proposals can be referred to BoA for a decision.

